**RESEARCH ARTICLE** 

# Design and Validation of an Iranian Application Software for the Evaluation of the Permit-to-work System in Process Industries

# Seyed Mahdi Mousavi<sup>a</sup>, Ali Karimi<sup>b\*</sup>, Seyed Abolfazl Zakerian<sup>6</sup>, Mehrdad Mehravar<sup>1</sup>

- <sup>a</sup> Msc, Department of Occupational Health Engineering, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran
- <sup>b</sup> Associate Professor, Department of Occupational Health Engineering, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran
- <sup>c</sup> Professor, Department of Occupational Health Engineering, School of Public Health, Tehran University of Medical Sciences, Tehran, Iran
- <sup>d</sup> Msc, Department of Health Information Management and Medical Informatics, School of Paramedical Sciences, Tehran University of Medical Sciences, Tehran, Iran

\*Correspondence should be addressed to Dr Ali Karimi, Email: a\_karimi@sina.tums.ac.ir

#### A-R-T-I-C-L-EI-N-F-O

Article Notes: Received: Jun 21, 2020 Received in revised form: Jul 19, 2020 Accepted: Jul 26, 2020 Available Online: Aug 15, 2020

Keywords: Industry Licensure SDLC Work

#### A-B-S-T-R-A-C-T

**Background & Aims of the Study:** The most important causes of accidents in process industries are related to overhaul and maintenance activities, as well as the absence or failure of a permit-to-work system. The present study aimed to design and validate an application to evaluate the permit-to-work system in the process industries.

**Materials and Methods:** The present applied–developmental study was conducted in 2019. Initially, 25 experts determined the data elements and the necessary capacities of the application. Original idea of the application software was coded using C sharp in the Microsoft visual 2017. The design was performed in accordance with the SDLC model. Finally, the Questionnaire for User Interface Satisfaction (QUIS) was used to evaluate the usability and user satisfaction of the final version of the application software.

**Results:** In the designed application software, the clients can evaluate the permit-towork system based on the defined access limit. According to the scores, the performance of the permit-to-work system is classified as poor, average, good, or excellent, which are actually the outputs of the application software. Based on the results of the QUIS, the overall score of user satisfaction with the application software was 7.71 out of 9.

**Conclusion:** The developed application software can be used as a suitable tool for the evaluation of the performance of the permit-to-work system in process industries, such as oil and petrochemical refineries as well as other similar industries.

**Please cite this article as:** Mousavi SM, Karimi A, Zakerian SA, Mehravar M. Design and Validation of an Iranian Application Software for the Evaluation of the Permit-to-work System in Process Industries. Arch Hyg Sci 2020;9(3):189-192

# Background

Industries such as oil, gas, and petrochemicals are considered process industries, where the raw material is converted into an intermediate product or the final product through a series of physical or chemical processes or a combination of both (1). Production, storage, transportation, and use of hydrocarbon chemicals in these processes as well as the presence of operational parameters, including temperature, pressure, and high equipment density, have caused catastrophic accidents in these industries

Archives of Hygiene Sciences

Volume 9, Number 3, Summer 2020

© 2020 Publisher: Research Center for Environmental Pollutants, Qom University of Medical Sciences. All rights reserved.

Mousavi SM et al. / Arch Hyg Sci 2020;9(3):189-192

throughout history, such as the Bhopal incident in India, Piper Alpha, refinery explosion in Texas, and Amoy in Venezuela (2-4). The consequences of these incidents included the release of toxic substances, fire, and explosion which led to bodily harm, environmental damage, and economic loss.

According to previous studies, the most important causes of accidents in these industries are related to overhaul and maintenance activities, as well as the lack of a permit-towork system (5, 6). A permit-to-work system consists of a set of components, whose main purpose is to provide a safe environment and prevent accidents during work (7). To determine how any system works and functions, that system must be monitored and reviewed and the permit-to-work system is not an exception. Currently, permit-to-work systems are monitored by using audit checklists developed by organizations, such HSE-UK and SHELL. which as are observational and based on pen and paper and are randomly completed by the audit team (8). However, the time and cost of copying and completing checklists, as well as the need for statistical software to analyze audit results, are some of the disadvantages of these evaluation methods.

Today, due to the rapid growth of information technology in various fields of science, including occupational safety and health, the use of computer software is expanding in fire and explosion modeling, noise maps, and industrial ventilation (9, 10). Given the importance of evaluating and monitoring the performance of the permit-towork system in the process industries, the present applied-developmental study aimed to develop a software that performs this task accurately. This research was approved by the occupational health department of the School of Public Health, Tehran University of Medical Sciences, Tehran, Iran (code of ethics: IR.TUMS.SPH.REC.1397.073).

• Deign and Validation Application Software to Evaluate the Permit ro Work System

# Materials & Methods

The present applied–developmental study was conducted in 2019. A team of academic and industrial experts (n=25) whose scientific and practical backgrounds indicated their familiarity and sufficient mastery of the permit-to-work system were selected to collaborate in the implementation of this project. Software design was performed in accordance with the Software Development Life Cycle model. SDLC is an approach followed in the production or redesign of an application, which includes all operations, such as how to produce, maintain, replace, modify, or improve the quality of the software (figure 1) (11).

The study began with the completion of a questionnaire by experts (n=25) to perform a needs assessment and to determine the required capabilities of the application software. In order to make it comprehensive, the original idea was coded using C sharp in the Microsoft visual 2017. The SQL server 2012 was used to create the database, and ADO.net technology was applied in order to make a connection to the database. The think-aloud method was used to evaluate the usability of the software and potential problems of users while using it; accordingly, it was possible to find solutions



Figure 1) Phases of the SDLC model

Volume 9, Number 3, Summer 2020

Archives of Hygiene Sciences

for them and improve the software (12). This method is one of the most widely used software evaluation methods. For the implementation of this method, users were asked to perform an evaluation of the permit-to-work system software and express their opinions about its capabilities within 15 working days. User comments and feedback on the primary version of the software were applied in the final version. Finally, the Questionnaire for User Interface Satisfaction (QUIS) was used to evaluate the usability and user satisfaction of the final version of the software.

## Results

The developed application software supports English and Persian languages and has admin and client access levels. The admin is responsible for assessing and defining the number (N) of clients. Clients evaluate the permit-to-work system based on the defined access limit. Afterward, the data collected from the evaluation performed by the administrator were analyzed. Based on the scores, the performance of the permit-to-work system was classified as poor, average, good, or excellent, which were actually the outputs of the software (Figure 2). The software also has the ability to

Organization Management	
Create Evaluation	b
<b>Evaluation Status</b>	E
Evaluation report	
Report of units	
Report of users	1
Help contents	0
About application	0
Change user	\$

Figure 2) Main menu of the developed application software

**Archives of Hygiene Sciences** 

(c) (i)

identify hidden flaws in the permit-to-work system and provide users with recommendations in the form of corrective actions in order to improve its performance.

Based on the results of the QUIS, the overall score of users' satisfaction with the software was 7.71 out of 9 while the scores for software performance, User Interference, terms and data, learning, and overall system capabilities were 7.58, 7.37, 7.75, 8.11, and 7.74, respectively. It can be concluded that the software facilitates the systematic and flexible analysis of the permit-to-work system.

# Discussion

The developed software in this study is a new tool in the field of safety, which can be used to facilitate monitoring and evaluating the performance of the permit-to-work system. This software cannot be compared to similar software in terms of design and performance since no other application software has been developed for the evaluation of the function of the permit-to work-system. However, Karimi et al. recently designed and coded the SQCRA software in Visual Basic with the aim of facilitating the chemical risk assessment process. The SQRA software does not support the Persian language, which can be considered as a limitation (13).

Afari et al. also developed a software for designing the ventilation systems in the Visual Basic environment which improved the computing process, saved time, and reduced computational errors (14). Regarding the above-mentioned software, no information is available about the evaluation of the level of user satisfaction. Moreover, these software used a checklist that was designed by a foreign organization. However, in the present study, the worksheet based software was on а domestically developed questionnaire with confirmed validity and reliability.

© 2020 Publisher: Research Center for Environmental Pollutants, Qom University of Medical Sciences. All rights reserved.

# Conclusion

The developed application software in this research project can provide a variety of reports according to the users' needs, supports the Persian language, is easy to use and multipurpose, and benefits from a powerful graphical interface. Therefore, it can be used as a suitable tool to evaluate the performance of the permitto-work system in process industries, such as oil and petrochemical refineries as well as other similar industries.

## Footnotes

#### Acknowledgements

The present study is extracted from the thesis completed by the first author of this study. Moreover, the ethical code of IR.TUMS.SPH.REC. 1397.073 was approved by Tehran University of Medical Sciences, Tehran, Iran. We acknowledge the invaluable support of experts in the Department of Abadan Oil Refinery Safety, Abadan, Iran, who contributed to this research.

#### **Conflict of Interest**

The authors declare that there was no conflict of interest in this study.

### References

- Dambros JW, Trierweiler JO, Farenzena M. Oscillation detection in process industries-part I: review of the detection methods. J Proc Control 2019;78:108-23. Link
- Abílio Ramos M, Droguett EL, Mosleh A, das Chagas Moura M, Ramos Martins M. Revisiting past refinery accidents from a human reliability analysis perspective: the BP Texas City and the Chevron Richmond accidents. Can J Chem Engin 2017;

• Deign and Validation Application Software to Evaluate the Permit ro Work System

95(12):2293-305. Link

- Bogard W. The Bhopal tragedy: language, logic, and politics in the production of a hazard. London: Routledge; 2019. <u>Link</u>
- 4. Danial SN, Smith J, Khan F, Veitch B. Human-like sequential learning of escape routes for virtual reality agents. Fire Technol 2019;55(3):1057-83. Link
- Jahangiri M, Hoboubi N, Rostamabadi A, Keshavarzi S, Hosseini AA. Human error analysis in a permit to work system: a case study in a chemical plant. Saf Health Work 2016;7(1):6-11. <u>PMID: 27014485</u>
- 6. Zare A, Yazdani Rad S, Dehghani F, Omidi F, Mohammadfam I. Assessment and analysis of studies related human error in Iran: a systematic review. Health Saf Work 2017;7(3):267-78. Link
- Hoboubi N, Jahangiri M, Keshavarzi S. Introduction of engineering approach technique in quantitative human error assessment; case study in permit to work system of a petrochemical plant. Iran Occup Health 2014;11(5):1-9. Link
- Ghahramani A. Permit to Work system conformity analysis based on the system standard criteria in an oil and gas extraction company. Iran Occup Health 2007;4(1):10-14. <u>Link</u>
- Bariha N, Mishra IM, Srivastava VC. Fire and explosion hazard analysis during surface transport of liquefied petroleum gas (LPG): a case study of LPG truck tanker accident in Kannur, Kerala, India. J Loss Prev Proc Ind 2016;40:449-60. Link
- 10. Zhou L, Li X, Guan L, Chen J, Guo B, Wu W, et al. Home noninvasive positive pressure ventilation with built-in software in stable hypercapnic COPD: a short-term prospective, multicenter, randomized, controlled trial. Int J Chron Obstruct Pulmon Dis 2017;12:1279-86. <u>PMID: 28490871</u>
- Rani SB. A detailed study of Software Development Life Cycle (SDLC) models. Int J Engin Comp Sci 2017;6(7):22097-100. <u>Link</u>
- 12. Roberts VL, Fels DI. Methods for inclusion: Employing think aloud protocols in software usability studies with individuals who are deaf. Int J Hum Comp Stud 2006;64(6):489-501. Link
- 13. Karimi A, Jamshidi Slukloei HR, Eslamizad S. Designing SQCRA as a software to semi-quantitative chemical risk assessment in workplace. J Occup Hyg Engin 2014;1(2):47-56. Link
- 14. Jafari MJ, Noorizadeh N, Khodakarim S. Experimental validation of a local ventilation design software. Iran Occup Health J 2018;14(6):107-15. <u>Link</u>

Archives of Hygiene Sciences

Volume 9, Number 3, Summer 2020